

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:)
KOUICHI SUGIYAMA, ET AL.) : Examiner: S. A. Rogers
Application No.: 10/626,531) : Group Art Unit: 2625
Filed: July 25, 2003) : Confirmation No.: 1149
For: INFORMATION PROCESSING) : September 18, 2008
APPARATUS AND METHOD, AND :
PRINT CONTROL PROGRAM)
: U.S. Patent No. 7,310,166 B2)
Issued: December 18, 2007)

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

REQUEST FOR
CERTIFICATE OF CORRECTION
UNDER RULE 323

Sir:

It is respectfully requested that a Certificate of Correction be issued by the Patent and Trademark Office due to an error which appears in the printed patent as a result of a mistake which is not the fault of the Patent and Trademark Office. A Certificate of Correction form is attached.

The statutory fee of \$100.00 is being paid electronically. Any additional fee required by this paper may be charged to Deposit Account No. 06-1205.

Patentees' undersigned attorney may be reached in our Washington, D.C. office by telephone at (202) 530-1010. All correspondence should continue to be directed to our below-listed address.

Respectfully submitted,

/Scott D. Malpede/

Scott D. Malpede
Attorney for Patentees
Registration No. 32,533

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
Facsimile: (212) 218-2200

SDM\ram

FCHS_WS 2171655v1

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,310,166 B2

DATED : December 18, 2007

INVENTOR(S) : KOUICHI SUGIYAMA, ET AL.

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 9:

Line 54, "equipment" should read --piece of equipment--.

FCHS_WS 2171655v1

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. 7,310,166 B2

No. of add'l. copies
@ 30¢ per page

